ESTUARINE AND COASTAL MARINE SCIENCE

Volume 10
1980

ACADEMIC PRESS
London New York
Toronto Sydney
San Francisco

Published by Academic Press Inc. (London) Ltd in association with the Estuarine and Brackish-water Sciences Association

ISSN 0302–3524

3C9v
E78

Copyright © 1980, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 10

Number 1, January 1980

Page

Flint, R. W. and Holland, J. S., Benthic infaunal variability on a transect in the Gulf of Mexico 1

Higgins, C. G., Nips, notches, and the solution of coastal limestone: an overview of the problem with examples from Greece 15

Alldredge, A. L. and Hamner, W. M., Recurring aggregation of zooplankton by a tidal current 31

Uncles, R. J. and Jordan, M. B., A one-dimensional representation of residual currents in the Severn estuary and associated observations 39

Tietjen, J. H., Population structure and species composition of the free-living nematodes inhabiting sands of the New York Bight apex 61

Eaton, A., Grant, V. and Gross, M. G., Chemical tracers for particle transport in the Chesapeake Bay 75

Riaux, C. and Douvillé, J.-L., Short-term variations in phytoplankton biomass in a tidal estuary in northern Brittany 85

Hollibaugh, J. T., Seibert, D. L. R. and Thomas, W. H., A comparison of the acute toxicities of ten heavy metals to phytoplankton from Saanich Inlet, B.C., Canada 93

Fleeger, J. W., Community structure of an estuarine meiobenthic copepod assemblage 107

Number 2, February 1980

Page

Olsen, C. R., Biscaye, P. E., Simpson, R. H. J., Trier, R. M., Kostyk, N., Bopp, R. F., Li, Y.-H. and Feely, H. W., Reactor-released radionuclides and fine-grained sediment transport and accumulation patterns in Barnegat Bay, New Jersey and adjacent shelf waters 119

Welsh, B. L., Comparative nutrient dynamics of a marsh-mudflat ecosystem . 143

Baillie, P. W. and Welsh, B. L., The effect of tidal resuspension on the distribution of intertidal epipelic algae in an estuary 165

DYER, K. R., Velocity profiles over a rippled bed and the threshold of movement of sand 181

HAWKINS, S. J. and HARTNOLL, R. G., A study of the small-scale relationship between species number and area on a rocky shore 201

KING, G. M. and WIEBE, W. J., Regulation of sulfate concentrations and methanogenesis in salt marsh soils 215

BYNUM, K. H., Multivariate assessment of morphological variation in *Caprella penantis* Leach, 1814 (Amphipoda: Caprellidae) 225

NUMBER 3, MARCH 1980

Page

OFFICER, C. B., Discussion on the turbidity maximum in partially mixed estuaries . 239

BRUNO, S. F., STAKER, R. D. and SHARMA, G. M., Dynamics of phytoplankton productivity in the Peconic Bay Estuary, Long Island 247

YOUNGBLUTH, M. J., Daily, seasonal, and annual fluctuations among zooplankton populations in an unpolluted tropical embayment 265

BOKUNIEWICZ, H. J. and GORDON, R. B., Deposition of dredged sediment at open water sites 289

MUDIE, P. J. and BYRNE, R., Pollen evidence for historic sedimentation rates in California coastal marshes 305

KNOX, S. and TURNER, D. R., Polarographic measurement of manganese (II) in estuarine waters 317

WILDING, A., COLLINS, M. and FERENTINOS, G., Analyses of sea level fluctuations in Thermaicos Gulf and Salonica Bay, northwestern Aegean Sea 325

DAUER, D. M. and CONNER, W. G., Effects of moderate sewage input on benthic polychaete populations 335

NUMBER 4, APRIL 1980

Page

GREENWOOD, P. J., Growth, respiration and tentative energy budgets for two populations of the sea urchin *Parechinus angulosus* (Leske) 347

MARTINEZ, E. A., Sensitivity of marine ciliates (Protozoa, Ciliophora) to high thermal stress 369

SMITH, N. P., A comparison of tidal harmonic constants computed at and near an inlet 383

MOUNTFORD, K., Occurrence and predation by *Mnemiopsis leidyi* in Barnegat Bay, New Jersey 393

KRUMGALZ, B. S., HORNUNG, H. and OREN, O. H., The study of a natural hypersaline lagoon in a desert area (the Bardawil Lagoon in Northern Sinai) . . 403

WHITFIELD, A. K., A quantitative study of the trophic relationships within the fish community of the Mhlanga estuary, South Africa 417

BOKUNIEWICZ, H., Groundwater seepage into Great South Bay, New York . 437

UBBEN, M. S. and HANSON, R. B., Tidal induced regulation of nitrogen fixation activity (C_2H_4 production) in a Georgia salt marsh 445

WINTERS, G. V. and BUCKLEY, D. E., *In situ* determination of suspended particulate matter and dissolved organic matter concentrations in an estuarine environment by means of an optical beam attenuance meter 455

NUMBER 5, MAY 1980

Page

LANCELOT-VAN BEVEREN, C., A statistical method to estimate the biochemical composition of phytoplankton in the Southern Bight of the North Sea . . 467

HUGHES, F. W. and RATTRAY, M. Jr., Salt flux and mixing in the Columbia River Estuary 479

HIGGINS, R. P. and FLEEGER, J. W., Seasonal changes in the population structure of *Echinoderes coulli* (Kinorhyncha) 495

NIEBAUER, H. J., A numerical model of circulation in a continental shelf-silled fjord coupled system 507

BOTHNER, M. H., ARUSCAVAGE, P. J., FERREBEE, W. M. and BAEDECKER, P. A., Trace metal concentrations in sediment cores from the continental shelf off the south eastern United States 523

EWING, J. A., Observations of wind-waves and swell at an exposed coastal location . 543

SANDERS, J. G. and WINDOM, H. L., The uptake and reduction of arsenic species by marine algae 555

CHELAZZI, G. and VANNINI, M., Zonation of intertidal molluscs on rocky shores of southern Somalia 569

BOOK REVIEWS 585

NUMBER 6, JUNE 1980

Page

LAANE, R. W. P. M., Some observations on the lipid concentration in the Ems–Dollart estuary and the Western Wadden Sea 589

JAMES, I. D., Thermocline formation in the Celtic Sea 597

MILLIMAN, J. D., Sedimentation in the Fraser River and its estuary, southwestern British Columbia (Canada) 609

SANTSCHI, P. H., LI, Y. H. and CARSON, S. R., The fate of trace metals in Narragansett Bay, Rhode Island: radiotracer experiments in microcosms 635

LAUGHLIN, R. B. Jr. and NEFF, J. M., Influence of temperature, salinity and phenanthrene (a petroleum derived polycyclic aromatic hydrocarbon) on the respiration of larval mud crabs, *Rhithropanopeus harrisii* 655

JAMES, C. J. and GIBSON, R., The distribution of the polychaete *Capitella capitata* (Fabricius) in dock sediments 671

MENZ, A. and BOWERS, A. B., Bionomics of *Penaeus vannamei* Boone and *Penaeus stylirostris* Stimpson in a lagoon on the Mexican Pacific coast . . . 685

NOTES AND DISCUSSIONS

NEDWELL, D. B. and BIN ABDUL AZIZ, S. A., Heterotrophic nitrogen fixation in an intertidal saltmarsh sediment 699

HACKNEY, C. T. and HAINES, E. B., Stable carbon isotope composition of fauna and organic matter collected in a Mississippi estuary 703

Index to Volume 10

Note: The subject index is based upon the keywords allocated to each paper. The keywords are rotated in order so that each one appears once as the first index term. The complete list of permitted keywords is published in *Estuarine and Coastal Marine Science* 5 (2), i–xl.

Aegean Sea; sea levels; oscillations; tidal variations; power spectra, 325
Aggregation; zooplankton; spatial distribution; tidal currents; Chaetognatha; Siphonophora; Australia east coast, 31
Algal blooms; Georgia coast; arsenic; arsenic compounds; speciation; uptake; phytoplankton; biogeochemistry, 555
ALLDREDGE, A. L. and HAMNER, W. M., Recurring aggregation of zooplankton by a tidal current, 31
Amphipoda; morphology; variation; environmental conditions; North Carolina coast, 225
Anaerobes; hydrogen; sulphate; sulphur bacteria; England coast; nitrogen fixation; salt marshes; sediment, 699
Anchor stations; numerical model; England coast; estuarine circulation; water balance, 39
Aromatic compounds; larval stages; laboratory methods; crabs; temperature; salinity; respiration rates; oil pollution, 655
Arsenic; arsenic compounds; speciation; uptake; phytoplankton; biogeochemistry; algal blooms; Georgia coast, 555
— compounds; speciation; uptake; phytoplankton; biogeochemistry; algal blooms; Georgia coast; arsenic, 555
ARUSCAVAGE, P. J., *see* BOTHNER, M. H., 523
Australia east coast; aggregation; zooplankton; spatial distribution; tidal currents; Chaetognatha; Siphonophora, 31
BAEDECKER, P. A., *see* BOTHNER, M. H., 523
BAILLIE, P. W. and WELSH, B. L., The effect of tidal resuspension on the distribution of intertidal epipelic algae in an estuary, 165
Bed roughness length; sediment movement; sediment transport; England coast; velocity profiles; shear stress; ripples, 181
Benthic fauna; environmental changes; species diversity; sediment distribution; Gulf of Mexico, 1
— flora; micro-algae; intertidal environment; mud flats; New England coast, 165
Benthos; Polychaeta; Tampa Bay; intertidal environment; pollution/effluent, 335
—; regression analysis; estuaries; U.S.A. east coast; Ctenophora; predation; Copepoda; plankton, 393
BIN ABDUL AZIZ, S. A. *see* NEDWELL, D. B., 699
Biochemical composition; chlorophyll measurements; lipids; proteins; carbohydrates; North Sea; phytoplankton, 467
Bioenergetics; food chains; fish catches; estuarine fauna; estuarine flora; seasonal variations; South Africa; estuaries, 417
Biogeochemistry; algal blooms; Georgia coast; arsenic; arsenic compounds; speciation; uptake; phytoplankton, 555
Biomass; seasonal variations; tidal cycles; France coast; estuaries; phytoplankton, 85
BISCAYE, P. E., *see* OLSEN, C. R., 119
BOKUNIEWICZ, H., Groundwater seepage into Great South Bay, New York, 437
BOKUNIEWICZ, H. J. and GORDON, R. B., Deposition of dredged sediment at open water sites, 289
BOOK REVIEWS, 585
BOPP, R. F., *see* OLSEN, C. R., 119
BOTHNER, M. H., ARUSCAVAGE, P. J., FERREBEE, W. M. and BAEDECKER, P. A., Trace metal concentrations in sediment cores from the continental shelf off the south-eastern United States, 523
Bottom surveys; turbidity; U.S.A.; dredge spoil; sediment movement; dispersion; cohesion; hardness, 289

Bowers, A. B., *see* Menz, A., 685
Brines; ion ratios; salinity variations; pH; precipitation; Mediterranean coast; Mediterranean Sea; lagoons, 403
British Columbia coast; estuaries; rivers; suspended sediments; sand transport; seasonal variations, 609
Bruno, S. F., Staker, R. D. and Sharma, G. M., Dynamics of phytoplankton productivity in the Peconic Bay Estuary, Long Island, 247
Buckley, D. E., *see* Winters, G. V., 455
Bynum, K. H., Multivariate assessment of morphological variation in *Caprella penantis* Leach, 1814 (Amphipoda: Caprellidae), 225
Byrne, R., *see* Mudie, P. J., 305
California coast; pollen; sedimentological tracers; salt marshes; sediment accretion; historical; holocene, 305
Canada west coast; phytoplankton; heavy metals; pollution; toxicity; laboratory experiment, 93
Carbohydrates; North Sea; phytoplankton; biochemical composition; chlorophyll measurements; lipids; proteins, 467
Carbon; sediment distribution; New York Bight; Nematoda; species composition; population density; species diversity; heavy metals, 61
Carson, S. R., *see* Santschi, P. H., 635
Celtic Sea; thermocline; stratification; heat budget; mixing; fronts, 597
Chaetognatha; Siphonophora; Australia east coast; aggregation; zooplankton; spatial distribution; tidal currents, 31
Chelazzi, G. and Vannini, M., Zonation of intertidal molluscs on rocky shores of southern Somalia, 569
Chesapeake Bay; estuaries; particle transport; trace elements; tracers, 75
Chlorophyll distribution; species diversity; tidal flushing; New York coast; estuaries; primary productivity; phytoplankton; standing crops, 247
— measurements; lipids; proteins; carbohydrates; North Sea; phytoplankton; biochemical composition, 467
Ciliata; heat; stress; lethal limits; salinity; New Hampshire coast; protozoa, 369
Circulation; Columbia River; estuaries; longitudinal variations; salt balance; tidal stratification, 479
—— processes; computer simulation; numerical model; upwelling; vertical exchange; Gulf of Alaska; fjords; sills, 507
Coastal erosion; coastal erosion forms; nip; notch; solution and solution pan; groundwater; limestone; Greece coast, 15
— — forms; nip; notch; solution and solution pan; groundwater; limestone; Greece coast; coastal erosion, 15
— zones; New England coast; nutrient cycles; ecosystems; tidal estuaries; intertidal environment; tidal flats; salt marshes, 143
Cohesion; hardness; bottom surveys; turbidity; U.S.A.; dredge spoil; sediment movement; dispersion, 289
Collins, M., *see* Wilding, A., 325
Colloids; England coast; manganese; polarography; estuaries, 317
Columbia River; estuaries; longitudinal variations; salt balance; tidal stratification; circulation, 479
Community structure; estuaries; South Carolina coast; meiobenthos; Copepoda; salt marshes, 107
Computer simulation; numerical model; upwelling; vertical exchange; Gulf of Alaska; fjords; sills; circulation processes, 507
Conner, W. G., *see* Dauer, D. M., 335
Continental shelves; New Jersey coast; radionuclides; nuclear reactors; sediment movement; pollution/radioactive, 119
— —; U.S.A. east coast; trace metals; textures; core samples; corer/vibrating; corer/gravity, 523
Convection; pressure measurements; tidal inlets; tide predictions; Florida coast; tidal amplitude, 383

Copepoda; plankton; benthos; regression analysis; estuaries; U.S.A. east coast; ctenophora; predation, 393
—; salt marshes community structure; estuaries; South Carolina coast; meiobenthos, 107
Core samples; corer/vibrating; corer/gravity; continental shelf; U.S.A. east coast; trace metals; textures, 523
Corer/gravity; continental shelf; U.S.A. east coast; trace metals; textures; core samples; corer/vibrating, 523
—/vibrating; corer/gravity; continental shelf; U.S.A. east coast; trace metals; textures; core samples, 523
Crabs; temperature; salinity; respiration rates; oil pollution; aromatic compounds; larval stages; laboratory methods, 655
Ctenophora; predation; copepoda; planton; benthos; regression analysis; estuaries; U.S.A. east coast, 393
DAUER, D. M. and CONNER, W. G., Effects of moderate sewage input on benthic polychaete populations, 335
Dispersion; cohesion; hardness; bottom surveys; turbidity; U.S.A.; dredge spoil; sediment movement, 289
—; salt marshes; South Carolina coast; Kinorhyncha; meiofauna; population dynamics, 495
Diving; South Africa; growth; respiration; energy budget; sea urchins, 347
Docks; heavy metals; hydrogen sulphide; macrobenthos; organic compounds; sediments; England coast; Polychaeta, 671
DOUVILLÉ, J-L., *see* RIAUX, C., 85
Dredge spoil; sediment movement; dispersion; cohesion; hardness; bottom surveys; turbidity; U.S.A., 289
DYER, K. R., Velocity profiles over a rippled bed and the threshold of movement of sand, 181
EATON, A., GRANT, V. and GROSS, M. G., Chemical tracers for particle transport in the Chesapeake Bay, 75
Ecosystems; tidal estuaries; intertidal environment; tidal flats; salt marshes; coastal zones; New England coast; nutrient cycles, 143
Embayment; Puerto Rico coast; zooplankton; population variations, 265
Energy budget; sea urchins; diving; South Africa; growth; respiration, 347
England coast; estuarine circulation; water balance; anchor stations; numerical model, 39
— —; manganese; polarography; estuaries; colloids, 317
— —; nitrogen fixation; salt marshes; sediment; anaerobes; hydrogen; sulphate; sulphur bacteria, 699
— —; Polychaeta; docks; heavy metals; hydrogen sulphide; macrobenthos; organic compounds; sediments, 671
— —; velocity profiles; shear stress; ripples; bed roughness length; sediment movement; sediment transport, 181
Environmental changes; species diversity; sediment distribution; Gulf of Mexico; benthic fauna, 1
— conditions; North Carolina coast; Amphipoda; morphology; variation, 225
Estuaries; bioenergetics; food chains; fish catches; estuarine fauna; estuarine flora; seasonal variation; South Africa, 417
—; colloids; England coast; manganese; polarography, 317
—; longitudinal variations; salt balance; tidal stratification; circulation; Columbia River, 479
—; Netherlands coast; lipids; organic matter; metabolism, 589
—; particle transport; trace elements; tracers; Chesapeake Bay, 75
—; phytoplankton; biomass; seasonal variations; tidal cycles; France coast, 85
—; primary productivity; phytoplankton; standing crops; chlorophyll distribution; species diversity; tidal flushing; New York coast, 247
—; rivers; suspended sediments; sand transport; seasonal variations; British Columbia coast, 609
—; South Carolina coast; meiobenthos; Copepoda; salt marshes; community structure, 107
—; U.S.A. east coast; Ctenophora; predation; Copepoda; plankton; benthos; regression analysis, 393
Estuarine circulation; gravitational circulation; partially mixed estuary; sediment transport; suspended sediments; turbidity, 239

— —; water balance; anchor stations; numerical model; England coast, 39
— fauna; estuarine flora; seasonal variations; South Africa; estuaries; bioenergetics; food chains; fish catches, 417
— —; flora; food webs; isotope ratios; seagrasses; Mississippi coast, 703
— flora; seasonal variations; South Africa; estuaries; bioenergetics; food chains; fish catches; estuarine fauna, 417
EWING, J. A., Observations of wind-waves and swell at an exposed coastal location, 543
FEELY, H. W., *see* OLSEN, P. E., 119
FERENTINOS, G., *see* WILDING, A., 325
FERREBEE, W. M., *see* BOTHNER, M. H., 523
Fish catches; estuarine fauna; estuarine flora; seasonal variations; South Africa; estuaries; bioenergetics; food chains, 417
Fjords; sills; circulation processes; computer simulation; numerical model; upwelling; vertical exchange; Gulf of Alaska, 507
FLEEGER, J. W., Community structure of an estuarine meiobenthic copepod assemblage, 107
—; *see* HIGGINS, R. P., 495
FLINT, R. W. and HOLLAND, J. S., Benthic infaunal variability on a transect in the Gulf of Mexico, 1
Flora; food webs; isotope ratios; seagrasses; Mississippi coast; estuarine fauna, 703
Florida coast; tidal amplitude; convection; pressure measurements; tidal inlets; tide predictions, 383
Food chains; fish catches; estuarine fauna; estuarine flora; seasonal variations; South Africa; estuaries; bioenergetics, 417
— webs; isotope ratios; seagrasses; Mississippi coast; estuarine fauna; flora, 703
France coast; estuaries; phytoplankton; biomass; seasonal variations; tidal cycles, 85
Fronts; Celtic Sea; thermocline; stratification; heat budget; mixing, 597
Georgia coast; arsenic; arsenic compounds; speciation; uptake; phytoplankton; biogeochemistry; algal blooms, 555
— —; methane; sulfates; soil properties; salt marshes, 215
— —; salt marshes; nitrogen fixation; salinity; spatial distribution; population dynamics; tidal flushing; microbial activity, 445
GIBSON, R., *see* JAMES, C. J., 671
GORDON, R. B., *see* BOKUNIEWICZ, H. J., 289
GRANT, V., *see* EATON, A., 75
Gravitational circulation; partially mixed estuary; sediment transport; suspended sediments; turbidity; estuarine circulation, 239
Great Britain coast; wave measurements; wind measurements; wind generated waves; swell waves; wave spectra, 543
Greece coast; coastal erosion; coastal erosion forms; nip; notch; solution and solution pan; groundwater; limestone, 15
GREENWOOD, P. J., Growth, respiration and tentative energy budgets for two populations of the sea urchin *Parechinus angulosus* (Leske), 347
GROSS, M. G., *see* EATON, A., 75
Groundwater; lagoons; runoff; New York coast, 437
—; limestone; Greece coast; coastal erosion; coastal erosion forms; nip; notch; solution and solution pan, 15
Growth; respiration; energy budget; sea urchins; diving; South Africa, 347
— rates; Mexico west coast; Penaeidae; lagoons; shrimps, 685
Gulf of Alaska; fjords; sills; circulation processes; computer simulation; numerical model; upwelling; vertical exchange, 507
— — Mexico; benthic fauna; environmental changes; species diversity; sediment distribution, 1
HACKNEY, C. T. and HAINES, E. B., Stable carbon isotope composition of fauna and organic matter collected in a Mississippi estuary, 703
HAINES, E. B., *see* HACKNEY, C. T., 703
HAMNER, W. M., *see* ALLDREDGE, A. L., 31
HANSON, R. B., *see* UBBEN, M. S., 445

Hardness; bottom surveys; turbidity; U.S.A.; dredge spoil; sediment movement; dispersion; cohesion, 289
HARTNOLL, R. G., *see* HAWKINS, S. J., 201
HAWKINS, S. J. and HARTNOLL, R. G., A study of the small-scale relationship between species number and area on a rocky shore, 201
Heat; stress; lethal limits; salinity; New Hampshire coast, Protozoa; Ciliata, 369
— budget; mixing; fronts; Celtic Sea; thermocline; stratification, 597
Heavy metals; carbon; sediment distribution; New York Bight; Nematoda; species composition; population density; species diversity, 61
— —; hydrogen sulphide; macrobenthos; organic compounds; sediments; England coast; Polychaeta; docks, 671
— —; pollution; toxicity; laboratory experiment; Canada west coast; phytoplankton, 93
HIGGINS, C. G., Nips, notches, and the solution of coastal limestone: an overview of the problem with examples from Greece, 15
HIGGINS, R. P. and FLEEGER, J. W., Seasonal changes in the population structure of *Echinoderes coulli* (Kinorhyncha), 495
Historical; holocene; California coast; pollen; sedimentological tracers; salt marshes; sediment accretion, 305
HOLLAND, J. S., *see* FLINT, R. W., 1
HOLLIBAUGH, J. T., SEIBERT, D. L. R. and THOMAS, W. H., A comparison of the acute toxicities of ten heavy metals to phytoplankton from Saanich Inlet, B.C., Canada, 93
Holocene; California coast; pollen; sedimentological tracers; salt marshes; sediment accretion; historical, 305
HORNUNG, H., *see* KRUMGALZ, B. S., 403
HUGHES, F. W. and RATTRAY, M., JR., Salt flux and mixing in the Columbia River Estuary, 479
Hydrogen; sulphate; sulphur bacteria; England coast; nitrogen fixation; salt marshes; sediment; anaerobes, 699
— sulphide; macrobenthos; organic compounds; sediments; England coast; Polychaeta; docks; heavy metals, 671
in situ spectroscopy; suspended matter; organic matter, 455
Indian Ocean; intertidal environment; rocky shores; Mollusca; Somalia, 569
Intertidal environment; mud flats; New England coast; benthic flora; micro-algae, 165
— —; pollution/effluent; benthos; Polychaeta; Tampa Bay, 335
— —; rocky shores; Isle of Man; sampling systems; statistics, 201
— —; — —; Mollusca; Somalia; Indian Ocean, 569
— —; tidal flats; salt marshes; coastal zones; New England coast; nutrient cycles; ecosystems; tidal estuaries, 143
Ion ratios; salinity variations; pH; precipitation; Mediterranean coast; Mediterranean Sea; lagoons; brines, 403
Isle of Man; sampling systems; statistics; intertidal environment; rocky shores, 201
Isotope ratios; seagrasses; Mississippi coast; estuarine fauna; flora; food webs, 703
JAMES, C. J. and GIBSON, R., The distribution of the polychaete *Capitella capitata* (Fabricius) in dock sediments, 671
JAMES, I. D., Thermocline formation in the Celtic Sea, 597
JORDAN, M. B., *see* UNCLES, R. J., 39
KING, G. M. and WIEBE, W. J., Regulation of sulfate concentrations and methanogenesis in salt marsh soils, 215
Kinorhyncha; meiofauna; population dynamics; dispersion; salt marshes; South Carolina coast, 495
KNOX, S. and TURNER, D. R., Polarographic measurement of manganese (II) in estuarine waters, 317
KOSTYK, N., *see* OLSEN, C. R., 119
KRUMGALZ, B. S., HORNUNG, H. and OREN, O. H., The study of a natural hypersaline lagoon in a desert area (the Bardawil Lagoon in Northern Sinai), 403
LAANE, R. W. P. M., Some observations on the lipid concentration in the Ems-Dollart Estuary and the western Wadden Sea, 589
Laboratory experiments; Canada west coast; phytoplankton; heavy metals; pollution; toxicity, 93

— —; Narragansett Bay; trace elements; metals; uptake; radiotracers, 635
— methods; crabs; temperature; salinity; respiration rates; oil pollution; aromatic compounds; larval stages, 655
Lagoons; brines; ion ratios; salinity variations; pH; precipitation; Mediterranean coast; Mediterranean Sea, 403
—; runoff; New York coast; groundwater, 437
—; shrimps; growth rates; Mexico west coast; Penaeidae, 685
Lancelot-van Beveren, C., A statistical method to estimate the biochemical composition of phytoplankton in the Southern Bight of the North Sea, 467
Larval stages; laboratory methods; crabs; temperature; salinity; respiration rates; oil pollution; aromatic compounds, 655
Laughlin, R. B., Jr. and Neff, J. M., Influence of temperature, salinity, and phenanthrene (a petroleum derived polycyclic aromatic hydrocarbon) on the respiration of larval mud crabs, *Rhithropanopeus harrisii*, 655
Lethal limits; salinity; New Hampshire coast; Protozoa; Ciliata; heat; stress, 369
Li, Y.-H., *see* Olsen, C. R., 119
Li, Y. H., *see* Santschi, P. H., 635
Limestone; Greece coast; coastal erosion; coastal erosion forms; nip: notch; solution and solution pan; groundwater, 15
Lipids; organic matter; metabolism; estuaries; Netherlands coast, 589
—; proteins; carbohydrates; North Sea; phytoplankton; biochemical composition; chlorophyll measurements, 467
Longitudinal variations; salt balance; tidal stratification; circulation; Columbia River; estuaries, 479
Macrobenthos; organic compounds; sediments; England coast; Polychaeta; docks; heavy metals; hydrogen sulphide, 671
Manganese; polarography; estuaries; colloids; England coast, 317
Martinez, E. A., Sensitivity of marine ciliates (Protozoa, Ciliophora) to high thermal stress, 369
Mediterranean Sea; lagoons; brines; ion ratios; salinity variations; pH; precipitation; Mediterranean coast, 403
— coast; Mediterranean Sea; lagoons; brines; ion ratios; salinity variations; pH; precipitation, 403
Meiobenthos; Copepoda; salt marshes; community structure; estuaries; South Carolina coast 107
Meiofauna; population dynamics; dispersion; salt marshes; South Carolina coast; Kinorhyncha, 495
Menz, A. and Bowers, A. B., Bionomics of *Penaeus vannamei* Boone and *Penaeus stylirostris* Stimpson in a lagoon on the Mexican Pacific Coast, 685
Metabolism; estuaries; Netherlands coast; lipids; organic matter, 589
Metals; uptake; radiotracers; laboratory experiments; Narragansett Bay; trace elements, 635
Methane; sulfates; soil properties; salt marshes; Georgia coast, 215
Mexico west coast; Penaeidae; lagoons; shrimps; growth rates, 685
Micro-algae; intertidal environment; mud flats; New England coast; benthic flora, 165
Microbial activity; Georgia coast; salt marshes; nitrogen fixation; salinity; spatial distribution; population dynamics; tidal flushing, 445
Milliman, J. D., Sedimentation in the Fraser River and its estuary, southwestern British Columbia (Canada), 609
Mississippi coast; estuarine fauna; flora; food webs; isotope ratios; seagrasses, 703
Mixing; fronts; Celtic Sea; thermocline; stratification; heat budget, 597
Mollusca; Somalia; Indian Ocean; intertidal environment; rocky shores, 569
Morphology; variation; environmental conditions; North Carolina coast; Amphipoda, 225
Mountford, K., Occurrence and predation by *Mnemiopsis leidyi* in Barnegat Bay, New Jersey, 393
Mud flats; New England coast; benthic flora; micro-algae; intertidal environment, 165
Mudie, P. J. and Byrne, R., Pollen evidence for historic sedimentation rates in California coastal marshes, 305
Narragansett Bay; trace elements; metals; uptake; radiotracers; laboratory experiments, 635

Nedwell, D. B. and bin Abdul Aziz, S. A. Heterotrophic nitrogen fixation in an intertidal saltmarsh sediment, 699
Neff, J. M., *see* Laughlin, R. B., Jr., 655
Nematoda; species composition; population density; species diversity; heavy metals; carbon; sediment distribution; New York Bight, 61
Netherlands coast; lipids; organic matter; metabolism; estuaries, 589
New England coast; benthic flora; micro-algae; intertidal environment; mud flats, 165
— — —; nutrient cycles; ecosystems; tidal estuaries; intertidal environment; tidal flats; salt marshes; coastal zones, 143
— Hampshire coast; Protozoa; Ciliata; heat; stress; lethal limits; salinity, 369
— Jersey coast; radionuclides; nuclear reactors; sediment movement; pollution/radioactive; continental shelves, 119
— York Bight; Nematoda; species composition; population density; species diversity; heavy metals; carbon; sediment distribution, 61
— — coast; estuaries; primary productivity; phytoplankton; standing crops; chlorophyll distribution; species diversity; tidal flushing, 247
— — —; groundwater; lagoons; runoff, 437
Niebauer, H. J., A numerical model of circulation in a continental shelf-silled fjord coupled system, 507
Nip; notch; solution and solution pan; groundwater; limestone; Greece coast; coastal erosion; coastal erosion forms, 15
Nitrogen fixation; salinity; spatial distribution; population dynamics; tidal flushing; microbial activity; Georgia coast; salt marshes, 445
— —; salt marshes; sediment; anaerobes; hydrogen; sulphate; sulphur bacteria; England coast, 699
North Carolina coast; Amphipoda; morphology; variation; environmental conditions, 225
— Sea; phytoplankton; biochemical composition; chlorophyll measurements; lipids; proteins; carbohydrates, 467
Notch; solution and solution pan; groundwater; limestone; Greece coast; coastal erosion; coastal erosion forms; nip, 15
Nuclear reactors; sediment movement; pollution/radioactive; continental shelves; New Jersey coast; radionuclides, 119
Numerical model; England coast; estuarine circulation; water balance; anchor stations, 39
— —; upwelling; vertical exchange; Gulf of Alaska; fjords; sills; circulation processes; computer simulation, 507
Nutrient cycles; ecosystems; tidal estuaries; intertidal environment; tidal flats; salt marshes; coastal zones; New England coast, 143
Officer, C. B., Discussion of the turbidity maximum in partially mixed estuaries, 239
Oil pollution; aromatic compounds; larval stages; laboratory methods; crabs; temperature; salinity; respiration rates, 655
Olsen, C. R., Biscaye, P. E., Simpson, H. J., Trier, R. M., Kostyk, N., Bopp, R. F., Li, Y.-H. and Feely, H. W., Reactor-released radionuclides and fine-grained sediment transport and accumulation patterns in Barnegat Bay, New Jersey and adjacent shelf waters, 119
Oren, O. H., *see* Krumgalz, B. S., 403
Organic compounds; sediments; England coast; Polychaeta; docks; heavy metals; hydrogen sulphide; macrobenthos, 671
— matter; *in situ* spectroscopy; suspended matter, 455
— —; metabolism; estuaries; Netherlands coast; lipids, 589
Oscillations; tidal variations; power spectra; Aegean Sea; sea levels, 325
Partially mixed estuary; sediment transport; suspended sediments; turbidity; estuarine circulation; gravitational circulation, 239
Particle transport; trace elements; tracers; Chesapeake Bay; estuaries, 75
Penaeidae; lagoons; shrimps; growth rates; Mexico west coast, 685
pH; precipitation; Mediterranean coast; Mediterranean Sea; lagoons; brines; ion ratios; salinity variations, 403
Phytoplankton; biochemical composition; chlorophyll measurements; lipids; proteins; carbohydrates; North Sea, 467

—; biogeochemistry; algal blooms; Georgia coast; arsenic; arsenic compounds; speciation; uptake, 555
—; biomass; seasonal variations; tidal cycles; France coast; estuaries, 85
—; heavy metals; pollution; toxicity; laboratory experiment; Canada west coast, 93
—; standing crops; chlorophyll distribution; species diversity; tidal flushing; New York coast; estuaries; primary productivity, 247
Plankton; benthos; regression analysis; estuaries; U.S.A. east coast; ctenophores; predation; copepoda, 393
Polarography; estuaries; colloids; England coast; manganese, 317
Pollen; sedimentological tracers; salt marshes; sediment accretion; historical; holocene; California coast, 305
Pollution; toxicity; laboratory experiment; Canada west coast; phytoplankton; heavy metals, 93
—/effluent; benthos; Polychaeta; Tampa Bay; intertidal environment, 335
—/radioactive; continental shelves; New Jersey coast; radionuclides; nuclear reactors; sediment movement, 119
Polychaeta; docks; heavy metals; hydrogen sulphide; macrobenthos; organic compounds; sediments; England coast, 671
— Tampa Bay; intertidal environment; pollution/effluent; benthos, 335
Population density; species diversity; heavy metals; carbon; sediment distribution; New York Bight; Nematoda; species composition, 61
— dynamics; dispersion; salt marshes; South Carolina coast, Kinorhyncha; meiofauna, 495
— —; tidal flushing; microbial activity; Georgia coast; salt marshes; nitrogen fixation; salinity; spatial distribution, 445
— variations; embayment; Puerto Rico coast; zooplankton, 265
Power spectra; Aegean Sea; sea levels; oscillations; tidal variations, 325
Precipitation; Mediterranean coast; Mediterranean Sea; lagoons; brines; ion ratios; salinity variations; pH, 403
Predation; Copepoda; plankton; benthos; regression analysis; estuaries; U.S.A. east coast; Ctenophora, 393
Pressure measurements; tidal inlets; tide predictions; Florida coast; tidal amplitude; convection, 383
Primary productivity; phytoplankton; standing crops; chlorophyll distribution; species diversity; tidal flushing; New York coast; estuaries, 247
Proteins; carbohydrates; North Sea; phytoplankton; biochemical composition; chlorophyll measurements; lipids, 467
Protozoa; ciliata; heat stress; lethal limits; salinity; New Hampshire coast, 369
Puerto Rico coast; zooplankton; zooplankton variations; embayment, 265
Radionuclides; nuclear reactors; sediment movement; pollution/radioactive; continental shelves; New Jersey coast, 119
Radiotracers; laboratory experiments; Narragansett Bay; trace elements; metals; uptake, 635
RATTRAY, M., JR., *see* HUGHES, F. W., 479
Regression analysis; estuaries; U.S.A. east coast; Ctenophora; predation; Copepoda; plankton; benthos, 393
Respiration; energy budget; sea urchins; diving; South Africa; growth, 347
— rates; oil pollution; aromatic compounds; larval stages; laboratory methods; crabs; temperature; salinity, 655
RIAUX, C. and DOUVILLÉ, J-L., Short-term variations in phytoplankton biomass in a tidal estuary in Northern Brittany, 85
Ripples; bed roughness length; sediment movement; sediment transport; England coast; velocity profiles; shear stress, 181
Rivers; suspended sediments; sand transport; seasonal variations; British Columbia coast; estuaries, 609
Rocky shores; Isle of Man; sampling systems; statistics; intertidal environment, 201
— —; Mollusca; Somalia; Indian Ocean; intertidal environment, 569
Runoff; New York coast; groundwater; lagoons, 437
Salinity; New Hampshire coast; Protozoa; Ciliata; heat; stress; lethal limits, 369
—; respiration rates; oil pollution; aromatic compounds; larval stages; laboratory methods; crabs; temperature, 655

—; spatial distribution; population dynamics; tidal flushing; microbial activity; Georgia coast; salt marshes; nitrogen fixation, 445
— variations; pH; precipitation; Mediterranean coast; Mediterranean Sea; lagoons; brines; ion ratios, 403
Salt balance; tidal stratification; circulation; Columbia River; estuaries; longitudinal variations, 479
— marshes; community structure; estuaries; South Carolina coast; meiobenthos; Copepoda, 107
— —; coastal zones; New England coast; nutrient cycles; ecosystems; tidal estuaries; intertidal environment; tidal flats, 143
— —; nitrogen fixation; salinity; spatial distribution; population dynamics; tidal flushing; microbial activity; Georgia coast, 445
— —; sediment; anaerobes; hydrogen; sulphate; sulphur bacteria; England coast, nitrogen fixation, 699
— —; — accretion; historical; holocene; California coast; pollen; sedimentological tracers, 305
— —; South Carolina coast; Kinorhyncha; meiofauna; population dynamics; dispersion, 495
Sampling systems; statistics; intertidal environment; rocky shores; Isle of Man, 201
Sand transport; seasonal variations; British Columbia coast; estuaries; rivers; suspended sediments, 609
SANDERS, J. G. and WINDOM, H. L., The uptake and reduction of arsenic species by marine algae, 555
SANTSCHI, P. H., LI, Y. H. and CARSON, S. R., The fate of trace metals in Narragansett Bay, Rhode Island: radiotracer experiments in microcosms, 635
Sea levels; oscillations; tidal variations; power spectra; Aegean Sea, 325
— urchins; diving; South Africa; growth; respiration; energy budget, 347
Seagrasses; Mississippi coast; estuarine fauna; flora; food webs; isotope ratios, 703
Seasonal variations; British Columbia coast; estuaries; rivers; suspended sediments; sand transport, 609
— —; South Africa; estuaries; bioenergetics; food chains; fish catches; estuarine fauna; estuarine flora, 417
— —; tidal cycles; France coast; estuaries; phytoplankton; biomass, 85
Sediment; anaerobes; hydrogen; sulphate; sulphur bacteria; England coast; nitrogen fixation; salt marshes, 699
—; England coast; Polychaeta; docks; heavy metals; hydrogen sulphide; macrobenthos; organic compounds, 671
— accretion; historical; holocene; California coast; pollen; sedimentological tracers; salt marshes, 305
— distribution; Gulf of Mexico; benthic fauna; environmental changes; species diversity, 1
— —; New York Bight; Nematoda; species composition; population density; species diversity; heavy metals; carbon, 61
— movement; dispersion; cohesion; hardness; bottom surveys; turbidity; U.S.A.; dredge spoil, 289
— —; pollution/radioactive; continental shelves; New Jersey coast; radionuclides; nuclear reactors, 119
— —; sediment transport; England coast; velocity profiles; shear stress; ripples; bed roughness length, 181
— transport; England coast; velocity profiles; shear stress; ripples; bed roughness length; sediment movement, 181
— —; suspended sediments; turbidity; estuarine circulation; gravitational circulation; partially mixed estuary, 239
Sedimentological tracers; salt marshes; sediment accretion; historical; holocene; California coast; pollen, 305
SEIBERT, D. L. R., *see* HOLLIBAUGH, J. T., 93
SHARMA, G. M., *see* BRUNO, S. F., 247
Shear stress; ripples; bed roughness length; sediment movement; sediment transport; England coast; velocity profiles, 181
Shrimps; growth rates; Mexico west coast; Penaeidae; lagoons, 685

Sills; circulation processes; computer simulation; numerical model; upwelling; vertical exchange; Gulf of Alaska; fjords, 507
SIMPSON, H. J., *see* OLSEN, C. R., 119
Siphonophora; Australia east coast; aggregation; zooplankton; spatial distribution; tidal currents; Chaetognatha, 31
SMITH, N. P., A comparison of tidal harmonic constants computed at and near an inlet, 383
Soil properties; salt marshes; Georgia coast; methane; sulfates, 215
Solution and solution pan; groundwater; limestone; Greece coast; coastal erosion; coastal erosion forms; nip; notch, 15
Somalia; Indian Ocean; intertidal environment; rocky shores; Mollusca, 569
South Africa; estuaries; bioenergetics; food chains; fish catches; estuarine fauna; estuarine flora; seasonal variations, 417
— —; growth; respiration; energy budget; sea urchins; diving; 347
— Carolina coast; Kinorhyncha; meiofauna; population dynamics; dispersion; salt marshes, 495
— — —; meiobenthos; Copepoda; salt marshes; community structure; estuaries, 107
Spatial distribution; population dynamics; tidal flushing; microbial activity; Georgia coast; salt marshes; nitrogen fixation; salinity, 445
— —; tidal currents; Chaetognatha; Siphonophora; Australia east coast; aggregation; zooplankton, 31
Speciation; uptake; phytoplankton; biogeochemistry; algal blooms; Georgia coast; arsenic; arsenic compounds, 555
Species composition; population density; species diversity; heavy metals; carbon; sediment distribution; New York Bight; Nematoda, 61
— diversity; heavy metals; carbon; sediment distribution; New York Bight; Nematoda; species composition; population density, 61
— —; sediment distribution; Gulf of Mexico; benthic fauna; environmental changes, 1
— —; tidal flushing; New York coast; estuaries; primary productivity; phytoplankton; standing crops; chlorophyll distribution, 247
STAKER, R. D., *see* BRUNO, S. F., 247
Standing crops; chlorophyll distribution; species diversity; tidal flushing; New York coast; estuaries; primary productivity; phytoplankton, 247
Statistics; intertidal environment; rocky shores; Isle of Man; sampling systems, 201
Stratification; heat budget; mixing; fronts; Celtic Sea; thermocline, 597
Stress; lethal limits; salinity; New Hampshire coast; Protozoa: Ciliata; heat, 369
Sulfates; soil properties; salt marshes; Georgia coast, methane, 215
Sulphate; sulphur bacteria; England coast; nitrogen fixation; salt marshes; sediment; anaerobes; hydrogen, 699
Sulphur bacteria; England coast; nitrogen fixation; salt marshes; sediment; anaerobes; hydrogen; sulphate, 699
Suspended matter; organic matter; *in situ* spectroscopy, 455
— sediments; sand transport; seasonal variations; British Columbia coast; estuaries; rivers, 609
— —; turbidity; estuarine circulation; gravitational circulation; partially mixed estuary; sediment transport, 239
Swell waves; wave spectra; Great Britain coast; wave measurements; wind measurements; wind generated waves, 543
Tampa Bay; intertidal environment; pollution/effluent; benthos; Polychaeta, 335
Temperature; salinity; respiration rates; oil pollution; aromatic compounds; larval stages; laboratory methods; crabs, 655
Textures; core samples; corer/vibrating; corer/gravity; continental shelf; U.S.A. East coast; trace metals, 523
Thermocline; stratification; heat budget; mixing; fronts; Celtic Sea, 597
THOMAS, W. H., *see* HOLLIBAUGH, J. T., 93
Tidal amplitude; convection; pressure measurements; tidal inlets; tide predictions; Florida coast, 383
— currents; Chaetognatha; Siphonophora; Australia east coast; aggregation; zooplankton; spatial distribution, 31
— cycles; France coast; estuaries; phytoplankton; biomass; seasonal variations, 85

— estuaries; intertidal environment; tidal flats; salt marshes; coastal zones; New England coast; nutrient cycles; ecosystems, 143
— flats; salt marshes; coastal zones; New England coast; nutrient cycles; ecosystems; tidal estuaries; intertidal environment, 143
— flushing; microbial activity; Georgia coast; salt marshes; nitrogen fixation; salinity; spatial distribution; population dynamics, 445
— —; New York coast; estuaries; primary productivity; phytoplankton; standing crops; chlorophyll distribution; species diversity, 247
— inlets; tide predictions; Florida coast; tidal amplitude; convection; pressure measurements, 383
— stratification; circulation; Columbia River; estuaries; longitudinal variations; salt balance, 479
— variations; power spectra; Aegean Sea; sea levels; oscillations, 325
Tide predictions; Florida coast; tidal amplitude; convection; pressure measurements; tidal inlets, 383
TIETJEN, J. H., Population structure and species composition of the free-living nematodes inhabiting sand of the New York Bight Apex, 61
Toxicity; laboratory experiment; Canada west coast; phytoplankton; heavy metals; pollution, 93
Trace elements; metals; uptake; radiotracers; laboratory experiments; Narragansett Bay, 635
— —; tracers; Chesapeake Bay; estuaries; particle transport, 75
— metals; textures; core samples; corer/vibrating; corer/gravity; continental shelf; U.S.A. east coast, 523
Tracers; Chesapeake Bay; estuaries; particle transport; trace elements, 75
TRIER, R. M., *see* OLSEN, C. R., 119
Turbidity; estuarine circulation; gravitational circulation; partially mixed estuary; sediment transport; suspended sediments, 239
—; U.S.A.; dredge spoil; sediment movement; dispersion; cohesion; hardness; bottom surveys, 289
TURNER, D. R., *see* KNOX, S., 317
UBBEN, M. S. and HANSON, R. B., Tidal induced regulation of nitrogen fixation activity (C_2H_4 production) in a Georgia salt marsh, 445
UNCLES, R. J. and JORDAN, M. B., A one-dimensional representation of residual currents in the Severn Estuary and associated observations, 39
Uptake; phytoplankton; biogeochemistry; algal blooms; Georgia coast; arsenic; arsenic compounds; speciation, 555
—; radiotracers; laboratory experiments; Narragansett Bay; trace elements; metals, 635
Upwelling; vertical exchange; Gulf of Alaska; fjords; sills; circulation processes; computer simulation; numerical model, 507
U.S.A.; dredge spoil; sediment movement; dispersion; cohesion; hardness; bottom surveys; turbidity, 289
— east coast; Ctenophora; predation; Copepoda; plankton; benthos; regression analysis; estuaries, 393
— — —; trace metals; textures; core samples; corer/vibrating; corer/gravity; continental shelf, 523
VANNINI, N., *see* CHELAZZI, G., 569
Variation; environmental conditions; North Carolina coast; Amphipoda; morphology, 225
Velocity profiles; shear stress; ripples; bed roughness length; sediment movement; sediment transport; England coast, 181
Vertical exchange; Gulf of Alaska; fjords; sills; circulation processes; computer simulation; numerical model; upwelling, 507
Water balance; anchor stations; numerical model; England coast; estuarine circulation, 39
Wave measurements; wind measurements; wind generated waves; small waves; wave spectra; Great Britain coast, 543
— spectra; Great Britain coast, wave measurements; wind measurements; wind generated waves; swell waves, 543
WELSH, B. L., Comparative nutrient dynamics of a marsh-mudflat ecosystem, 143
— — ., *see* BAILLIE, P. W., 165

WHITFIELD, A. K., A quantitative study of the trophic relationships within the fish community of the Mhlanga Estuary, South Africa, 417
WIEBE, W. J., *see* KING, G. M., 215
WILDING, A., COLLINS, M. and FERENTINOS, G., Analyses of sea level fluctuations in Thermaicos Gulf and Salonica Bay, northwestern Aegean Sea, 325
Wind generated waves; swell waves; wave spectra; Great Britain coast; wave measurements; wind measurements, 543
— measurements; wind generated waves; swell waves; wave spectra; Great Britain coast; wave measurements, 543
WINDOM, H. L., *see* SANDERS, J. G., 555
WINTERS, G. W. and BUCKLEY, D. E., *In situ* determination of suspended particulate matter and dissolved organic matter concentrations in an estuarine environment by means of an optical beam attenuance meter, 455
YOUNGBLUTH, M. J., Daily, seasonal, and annual fluctuations among zooplankton populations in an unpolluted tropical embayment, 265
Zooplankton; population variations; embayment; Puerto Rico coast, 265
—; spatial distribution; tidal currents; Chaetognatha; Siphonophora; Australia east coast; aggregation, 31